ELSEVIER

Volumes 536–537, Numbers 1–2, 30 May 1997

Journal of Organometallic Chemistry

Contents

Introduction 1

Preface 5

Reviews

Organometallic structural units in solid state ternary transition metal carbides
R.B. King 7

Novel types of hydrogen bonding with transition metal π-complexes and hydrides
E.S. Shubina, N.V. Belkova and L.M. Epstein 17

Novel generation of organometallic systems. Metal carbonyl complexes with silacarbacyclic π-ligands, synthetic and structural investigations
O.B. Afanasova, N.I. Kirillova, E.A. Chernyshev and Yu.T. Struchkov 31

Semi-sandwich platinum metals metallacarboranes derived from *nido*-$C_2B_9H_{12}^-$: chemistry and structural studies
I.T. Chizhevsky, A.I. Yanovsky and Yu.T. Struchkov 51

X-ray study of organic and organoelement compounds of the lanthanides
L.N. Zakharov and Yu.T. Struchkov 65

Regular Papers

The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide
S.-l. Li, Z.-Z. Zhang and T.C.W. Mak 73

Reactions of pentaphenylantimony with dicarboxylic acids
V.V. Sharutin, O.K. Sharutina, A.P. Pakusina and V.K. Belsky 87

Preparation and thermolysis of complexes derived from some trinuclear ruthenium clusters and 1,4-diphenylbuta-1,3-diyne
M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White 93

A heterometallic alkoxide combining hard and soft Lewis acids $(Et_3PO)_2Ba_2Cu_4(O^tBu)_8$
B. Borup, J.C. Huffman and K.G. Caulton 109

Organotransition-metal metallacarboranes. 45. Synthesis and structure of hydridoruthenacarborane double-decker and triple-decker sandwich complexes
E.J. Houser, M.A. Curtis, M. Sabat and R.N. Grimes 115

Behaviour of triphenylphosphine-substituted ruthenium carbonyl carboxylates with hydrogen
P. Frediani, C. Faggi, S. Papaleo, A. Salvini, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli 123

Dihydrogen addition to $(P^iPr_3)_2OsX_nH_{4-n}$
R. Kuhlman, D.G. Gusev, I.L. Eremenko, H. Berke, J.C. Huffman and K.G. Caulton 139

The *tert*-butyl chloride–lithium naphthalene radical anion and *tert*-butyllithium–naphthalene systems. Mechanism of metallation
C.G. Screttas, M. Micha-Screttas and B.R. Steele 149

Metallation of bicymantrenyl and synthesis of polycymantrenyls
A.G. Ginzburg, S.V. Suprunovich, F.M. Dolgushin, A.I. Yanovsky, E.V. Vorontsov and V.I. Sokolov 165

Elsevier Science S.A.

Synthesis and characterisation of trifluoro(η^5-*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV
A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick 177

The electrochemical synthesis of η^5-cyclopentadienylcobalt-η^4-tetraphenylbutadiene and its reaction with iodine in the presence of electron donor ligands
V.A. Knizhnikov, V.L. Shirokii, A.N. Ryabtsev and N.A. Maier 181

Ring-methyl activation in pentamethylcyclopentadienyl complexes 7. Reactions of $[Ru(\eta^2{:}\eta^5\text{-}C_5Me_4CH_2O(CH_2)_nCH{=}CHR_2)(CO)_2]^+BF_4^-$ with nucleophiles
O.V. Gusev, L.N. Morozova, T.A. Peganova, M.Yu. Antipin, K.A. Lyssenko, A.F. Noels, S.R. O'Leary and P.M. Maitlis. 191

Structural correlation between Rh–P and Rh–C bond distances vs. ^{31}P and ^{13}C NMR parameters in monocarbonylphosphinerhodium(I) complexes: crystal structure of (methyl 2-(amino)-1-cyclopentene-1-dithiocarboxylato-$\kappa N,\kappa S$)-carbonyl(triphenylphosphine)rhodium(I)
G.J.J. Steyn, A. Roodt, I. Poletaeva and Y.S. Varshavsky 197

Template synthesis, structure and electrochemistry of trinuclear iron(II) clathrochelate dioximates with ferrocenylboron fragments
Y.Z. Voloshin, T.E. Kron, V.K. Belsky, V.E. Zavodnik, Yu.A. Maletin and S.G. Kozachkov 207

The molecular structure of a germacyclobutane by gas electron diffraction and ab initio molecular orbital calculations
A. Haaland, S. Samdal, T.G. Strand, M.A. Tafipolsky, H.V. Volden, B.J.J. Van de Heisteeg, O.S. Akkerman and F. Bickelhaupt 217

Synthesis, structure and reactivity of a novel monocarbon hydridorhodacarborane *closo*-2,2-$(Ph_3P)_2$-2-*H*-1-(Me_3N)-2,1-$RhCB_{10}H_{10}$. Molecular structure of 16-electron *closo*-2-(Ph_3P)-2-Cl-1-(Me_3N)-2,1-$RhCB_{10}H_{10}$ and closely related 18-electron *closo*-3,3-$(Ph_3P)_2$-3-Cl-3,1,2-$RhC_2B_9H_{11}$
I.T. Chizhevsky, I.V. Pisareva, E.V. Vorontzov, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, C.B. Knobler and M.F. Hawthorne 223

Synthesis and structure of β-tellurovinylcarbonyl compounds
V.I. Minkin, I.D. Sadekov, B.B. Rivkin, A.V. Zakharov, V.L. Nivorozhkin, O.E. Kompan and Yu.T. Struchkov 233

The activation of C–H bonds in terminal olefins by cyclopentadienylnickel species
S. Pasynkiewicz, W. Buchowicz, A. Pietrzykowski and T. Głowiak 249

Preparation of stable α-(nonamethylmetallocenyl)-α-hydroxycarbocations and their transformations
M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamyshova, P.V. Petrovskii and U. Turpeinen 257

The role of Ni(0) complexes in electrochemical phosphorylation of organic halides. Part 1. Factors determining catalytic activity
Y.H. Budnikova and Yu.M. Kargin 265

[4 + 2] Cycloaddition reactions involving 1,3-diphosphacyclopentadiene and 1,2,4-triphosphacyclopentadiene: crystal and molecular structures of the *exo*-compounds $P_5C_5{}^tBu_5H_2$ and $P_4C_6{}^tBu_6H_2$
V. Caliman, P.B. Hitchcock and J.F. Nixon 273

X-ray structures of decamethylplatinocene dication in the crystal of $[Pt(\eta^5\text{-}C_5Me_5)_2]^{2+}(PF_6^-)_2$ and decamethyliridocenium cation in the crystal of $[Ir(\eta^5\text{-}C_5Me_5)_2]^+(BPh_4^-)\cdot CH_2Cl_2$
Yu.T. Struchkov, M.Yu. Antipin, K.A. Lyssenko, O.V. Gusev, T.A. Peganova and N.A. Ustynyuk 281

The interaction of unsaturated C_8-ring systems with ruthenium carbonyl clusters
D.B. Brown, B.F.G. Johnson, C.M. Martin and S. Parsons 285

Reactions of the phenyl-substituted five-membered titanacyclocumulene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms
V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal 293

Sterically encumbered charge-compensated carbaboranes: synthesis and reactivity. Molecular structures of 7-Ph-11-SMe_2-7,8-*nido*-$C_2B_9H_{10}$ and 1-Ph-3,3-$(CO)_2$-7-SMe_2-3,1,2-*closo*-$RhC_2B_9H_8$
G.M. Rosair, A.J. Welch, A.S. Weller and S.K. Zahn 299

Molecular structure and conformation of trimethylsilylbenzene: a study by gas-phase electron diffraction and theoretical calculations
A.R. Campanelli, F. Ramondo, A. Domenicano and I. Hargittai 309

Structure of a Pt/Re cluster complex: aggregation of ions in crystals of $[Pt_3\{Re(CO)_2P(OMe)_3\}\{\mu_3\text{-}O)_2(\mu\text{-}dppm)_3][AsF_6]$
K.W. Muir, L. Manojlovic-Muir and A.A. Torabi 319

Directive effects in the hydroboration of 1-alkenyl derivatives of *o*-carborane with representative hydroborating agents
G.W. Kabalka and G. Hondrogiannis 327

Reactions of diacetylene ligands with trinuclear clusters. II. Reactions of hexa-2,4-diyne-1,6-diol and 1,4-diphenyl-1,3-butadiyne with $Ru_3(CO)_{12}$
S.P. Tunik, E.V. Grachova, V.R. Denisov, G.L. Starova, A.B. Nikol'skii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov 339

Reactions of dodecacarbonyltriruthenium with unsaturated α,β-diketones
M.I. Rybinskaya, L.V. Rybin, S.V. Osintseva, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii 345

Solid state conformation of the anomeric effect in 2-phosphoryl-, 2-thiophosphoryl- and 2-selenophosphoryl-substituted 1,3-dithiolanes
M. Mikołajczyk, T. Łuczak, P.P. Graczyk, M.W. Wieczorek, J. Błaszczyk, G.D. Bujacz and W.R. Majzner 355

Polyelement substituted cyclopentadienes and indenes – novel ligand precursors for organotransition metal chemistry
K. Rufanov, E. Avtomonov, N. Kazennova, V. Kotov, A. Khvorost, D. Lemenovskii and J. Lorberth 361

Synthesis and structure of 3-(cyclohexylamino)propyldimethylsilanol
W. Ziche, B. Herrschaft, F. Hahn, P. John, J. Weis and N. Auner 375

Synthesis and structure of the heteronuclear alkyne cluster $RuOs_3(\mu_4\text{-}HC_2Me)(CO)_{12}$
A.A. Koridze, A.M. Sheloumov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii 381

The influence of aryl ligands on the chemical hardness of triarylitin cations
D.N. Kravtsov, A.S. Peregudov, V.M. Pachevskaya and L.S. Golovchenko 385

Crystalline-state β–α photoisomerization of cobaloxime complexes, part 1. Generation of asymmetry in chiral crystal environment
A. Sekine, H. Tatsuki and Y. Ohashi 389

Synthesis and crystal structure of enantiomeric *N*-(dimethylfluorosilylmethyl) and *N*-(dimethylchlorosilylmethyl)-[*N*-(*S*)-1-phenylethyl)] acetamides
Yu.I. Baukov, Yu.E. Ovchinnikov, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.T. Struchkov 399

Ligand effects in the hydrogenation of methacycline to doxycycline and epi-doxycycline catalysed by rhodium complexes. Molecular structure of the key catalyst [*closo*-3,3-($\eta^{2,3}$-$C_7H_7CH_2$)-3,1,2-$RhC_2B_9H_{11}$]
A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov 405

Crown compounds for anions. A new approach to the description of chemical bonds in the complexes of halide anions with polymercury-containing macrocycles [1]
A.L. Chistyakov, I.V. Stankevich, N.P. Gambaryan, Yu.T. Struchkov, A.I. Yanovsky, I.A. Tikhonova and V.B. Shur 413

Vibrational spectra of disilenes. Normal coordinate analysis and identification of the ν(Si=Si) stretching vibration
L.A. Leites, S.S. Bukalov, I.A. Garbuzova, R. West, J. Mangette and H. Spitzner 425

Antiferromagnetic complexes with the metal–metal bond. XXVIII. Synthesis and molecular structure of the antiferromagnetic cluster $[CpCr(\mu\text{-}SCMe_3)]_2(\mu_4\text{-}S)[PtMe_3(\mu\text{-}I)]_2$
A.A. Pasynskii, Y.V. Torubaev, S.E. Nefedov, I.L. Eremenko, O.G. Ellert, V.K. Belsky and A.I. Stastch 433

Benzylic functionalization of (η^6-alkylarene)chromium tricarbonyl complexes
V.N. Kalinin, I.A. Cherepanov and S.K. Moiseev 437

Variety of naphthalene coordination modes in the polynuclear (pentamethylcyclopentadienyl)lutetium naphthalene complex $\{[(C_5Me_5Lu)_3(C_{10}H_8)(C_{10}H_7)(H)][(Na(THF)_3]\}_2C_{10}H_8$
A.V. Protchenko, O.G. Almazova, L.N. Zakharov, G.K. Fukin, Yu.T. Struchkov and M.N. Bochkarev 457

Chelating organophosphines: the use of comparative structural investigations to determine ligand properties
J. Bruckmann and C. Krüger 465

Organometallic chemistry of the actinides. Part 3. Novel 1-aza-allyl- and β-diketiminatothorium chlorides; X-ray structures of $[\{\overline{Th(LL')}_2(\mu_3\text{-}Cl)(\mu\text{-}Cl)_2K(OEt_2)\}_\infty]$ and $[\overline{Th(LL)}_2\ Cl_2]$ [LL' = $N(SiMe_3)C(Bu^t)C(H)SiMe_3$; LL = $\{N(SiMe_3)C(Ph)\}_2CH$]
P.B. Hitchcock, J. Hu, M.F. Lappert and S. Tian 473

The MM3 force field for 12-vertex boranes and carboranes
T.V. Timofeeva, K.Yu. Suponitsky, A.I. Yanovsky and N.L. Allinger 481

Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type
I.S. Akhrem, A.L. Chistyakov, N.P. Gambaryan, I.V. Stankevich and M.E. Vol'pin 489

Synthesis of diphosphine-substituted selenido carbonyl iron clusters: progressive deformation of the Fe_3Se_2 core in the *nido* clusters $[Fe_3Se_2(CO)_7\{\mu\text{-}(Ph_2P)_2R\}]$ by widening the bite of the bridging ligand
D. Cauzzi, C. Graiff, M. Lanfranchi, G. Predieri and A. Tiripicchio 497

Reactivity of the electron deficient compound [(μ-H)$Os_3(CO)_9$\{μ_3-η^2-$C_9H_5(CH_3)N$\}] with thiols
S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik 509

Vibrational spectra and structure of trimethylindium and trimethylthallium
A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze 519

Novel Group 4b *ansa*-metallocene complexes with the shortest bridge: [1,1′-isopropylydene-3,3′-di-t.Bu-bis(η^5-cyclopentadienyl)] Ti and Zr dichlorides
I.F. Urazowski, L.O. Atovmyan, S.G. Mkoyan, R. Broussier, P. Perron, B. Gautheron and F. Robert 531

Preliminary Communications

Synthesis and characterization of the first charge-compensated monocarbollide(octacarbonyl)triosmium complex
V.N. Lebedev, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone 537

Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethyl-cyclopentadienyl)(tetramethylcyclopentadienyl)silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu [2]
H. Schumann, F. Erbstein, R. Weimann and J. Demtschuk 541

Synthesis and structural characterisation of [$Os_4H_2(CO)_{11}$\{Au_2(DPPM)\}$_2$]: the first cluster with an Os_4Au_4 core
M.R.A. Al-Mandhary, J. Lewis and P.R. Raithby 549

Author Index 553

Subject Index 555

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.